


XOOMINAIRE





XOOMINAIRE:
The next generation luminaire





XOOMINAIRE 2552

Pendant
Surface-mounted





XOOMINAIRE 4242

Pendant
Surface-mounted





XOOMINAIRE 4262

Pendant
Surface-mounted




XOOMINAIRE 4262R

Recessed




XOOMINAIRE 4292

Pendant
Wall-mounted



XOOMINAIRE 7066

Pendant
Wall-mounted




70 mm / 2.75"

66 mm / 2.60"



XOOMINAIRE 7066

Pendant
Wall-mounted



70 mm / 2.75"


66 mm / 2.60"



XOOMINAIRE: Modularity in perfection




5
or more luminaire cases
(direct/indirect)



XOOMINAIRE: Modularity in perfection

12

and more modular applicable optics



XOOMINAIRE: Modularity in perfection




3

Light intensities

2.000 lm/m = HE

3.000 lm/m = H0

4.500 lm/m = S0



XOOMINAIRE: Modularity in perfection

4



Colour temperatures

2.700 K

3.000 K

3.500 K


4.000 K



Mounting profiles


2552

Pendant
Surface-mounted




4242

Pendant
Surface-mounted




4262

Pendant
Surface-mounted




4262R

Recessed




4292

Pendant
Wall-mounted



7066

Pendant
Wall-mounted



Inserts


Insert i01




Insert i02



Insert i03




Insert i04



Contour 007





LEDsClick

Snap in optics, lenses and drivers allow for simple and cost effective re-lamping, LED upgrades, future-proof compatibility and easy access to the ballast.

LEDsClick

LED LINEAR TECHNOLOGY




Light in Balance

 Aesthetics meet function

 Light meets life

 Ecology meets economy

XOOMINAIRE: The next generation luminaire



2552


4242

4262

4262R

4292

7066



The next generation luminaire